


NOTES:

1. CAP ALL ENDS.
2. INSTALL PER MANUFACTURER SPECS. AND DETAILS.
3. HOLD TOP OF FENCING LEVEL, TYP.
4. MAXIMUM GAP 3 7/8" BETWEEN ALL ELEMENTS.
5. SPACE ALL POSTS EQUALLY.
6. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS AND SUBMIT SHOP DRAWINGS FOR APPROVAL.


4' ORNAMENTAL METAL FENCE

CITY OF MILLBRAE * STANDARD PLANS

NO.	REVISIONS		DATE	FENCING	APPROVED _____ City Engineer
DRAWN	CK	CHECKED	NT	DATE 03/2024	SCALE NTS SHEET 1 OF 3 DWG. NO. L-17.1



4' CHAIN LINK FENCE



1. SEE SPECS FOR MATERIAL AND FINISH.
2. ALL POSTS, RAILS, CAPS, & FABRIC TO BE GALVANIZED
AND VINYL COATED BLACK.
3. OFFSET HINGES TO PERMIT 180 DEGREE GATE OPENING.
4. GATES AT TRACK EDGE SHALL HAVE ONE-WAY HINGES
TO PREVENT OPENING ONTO TRACK. SEE SPECS.
5. GATE HARDWARE, SEE SPECS.


4' DOUBLE CHAIN LINK GATE

CITY OF MILLBRAE * STANDARD PLANS

NO.	REVISIONS		DATE	FENCING	APPROVED	
DRAWN	CK	CHECKED	NT	DATE 03/2024	SCALE NTS	SHEET 2 OF 3 DWG. NO. L-17.2


City Engineer

CHAIN LINK NO.8 WIRE GAUGE, KNUCKLED TOP
AND BOTTOM, 1 3/4" MESH, HOT DIPPED
GALVANIZED, PRIMED AND VINYL COAT BLACK.



1. SEE SPECS FOR MATERIAL AND FINISH. ALL POSTS, RAILS, CAPS, & FABRIC TO BE GALVANIZED AND VINYL COATED BLACK.
2. FOR CONDITIONS ON TOP OF RETAINING WALL SEE STRUCTURAL ENGINEERING DRAWINGS.

6' CHAIN LINK FENCE



SEE SPECS FOR MATERIAL AND FINISH.
MESH TO BE GALVANIZED AND VINYL COATED BLACK.

8' CHAIN LINK FENCE MESH REPLACEMENT

CITY OF MILLBRAE * STANDARD PLANS

NO.	REVISIONS		DATE	FENCING	APPROVED _____ City Engineer
DRAWN	CK	CHECKED	NT	DATE 03/2024	SCALE NTS
					SHEET 3 OF 3
					DWG. NO. L-17.3