

Indoor Water Use Efficiency Checklist

To Be Completed By Applicant

I certify that this project meets the specified requirements of the Indoor Water Use Efficiency Ordinance

 Signature

 Date

Project Information

Single Family Multi-Family Commercial Industrial Institutional Irrigation Only Other:

Applicant Name (print): _____ Contact Number: _____ Cell #: _____

Project Site Address: _____

Project Area (sq. ft. or acre) _____ # Units in building _____ # of Meters _____

Fixture	Requirements			Water Budget		Existing (e) Devices		New (n) Devices		Agency Review Pass or Fail
	Single Family Residential	Multi Family Residential and Non Residential	Units	Total # of (e) & (n) Devices	Total units of water	# of Devices	Actual total units of water	# of Devices	Total proposed units of water	
Toilets	≤ 1.28, and > 500	≤ 1.28, and > 500	gpf grams							
Urinals	≤ 0.5	≤ 0.5	gpf							
Shower Heads	≤ 1.5	≤ 1.5	gpm							
Bathroom Faucets	≤ 0.5	≤ 0.5	gpm							
Kitchen Faucets	≤ 1.5	≤ 1.5	gpm							
Clothes Washers	≤ 6.0	≤ 6.0	Water Factor							
Dish Washers	≤ 6.5 or Energy Star	Energy Star	gal / cycle							
Cooling Towers		≥ 5-10 or ≤ 2.5	Cycles LSI							
Food Steamers		Boilerless or Self Contained								
Ice Machines		≤ 25 or Air Cooled	gal/100 lbs ice							
Pre-Rinse Spray Valves		≤ 1.5	gpm							
Automatic Vehicle Wash Facilities		≥50% or more of water must be	recycled water							

Indoor Water Use Efficiency Checklist

Commercial Refrigeration		Closed Loop or Air Cooled							
Meters - Main water service to be metered. If outdoor landscaping is 5000 square feet or more, separate irrigation metering is required. Applies to any project type.	see note re irrigation metering	Sub Meters and Irrigation meters required. See side note							

To Be Completed By City of Millbrae

Auditor: _____	Materials Distributed to Applicant	Selected Definitions
Materials Received and Reviewed: <input type="checkbox"/> Indoor Water Use Efficiency Checklist <input type="checkbox"/> Project Plans <input type="checkbox"/> Indoor Compliance Checklist <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> Indoor Water Use Efficiency Ordinance <input type="checkbox"/> Information on Qualifying Fixtures and Appliances <input type="checkbox"/> Other :	gal/100 lbs ice Gallons per hundred pounds of ice gal / cycle Gallons per cycle gpf Gallons per flush gpm Gallons per minute
Date Reviewed: _____ <input type="checkbox"/> Follow Up Required (see comments)	Measures Recommended to Applicant	grams Amount of solids that can be moved by 1.28 gallons of water LSI Langlier Saturation Index
Date Resubmitted: _____ Date Approved: _____	<input type="checkbox"/> On Demand / Tankless Water Heater <input type="checkbox"/> Leak Detection Methods <input type="checkbox"/> Water -Efficient Landscaping <input type="checkbox"/> Other:	sq. ft. Square feet
Comments: _____ _____ _____ _____		> Greater than ≤ Less than or Equal to ≥ Greater than or Equal to